

More than a century of craftsmanship in striking tools



TRADEMARKS

The following are registered trademarks of Vaughan & Bushnell Mfg. Co.

- | | |
|-------------------|----------------------|
| “999” | Pro “Rocker” |
| Bear Claw | Proud To Say Made in |
| Bear Saw | U. S. A. |
| California Framer | Safe-T-Vu |
| Carpenter’s Pride | Shock-Blok |
| Double Duty | Steel Eagle |
| E-Z-Swing | Sub-Zero |
| Flipmarker | SuperBar |
| Golden Hawk | Super-Plastic |
| GroundBreakers | SuperSteel |
| Little-Pro | “Sure Lock” |
| Living Wedge | “Tough Fibre” |
| Mini-Bar | Triple Wedge |
| Pro-16 | V&B |
| Pro-Framer | Vaughan |
| Pro-Grip | |

SPECIFICATIONS

Vaughan Professional, SuperSteel and Commercial brand forged tools meet or exceed the following specifications:

U.S.A.: GGG-H-86C, GGG-A-926C, GGG-H-131 C,
GGG-B-110A

Canada: 39-GP-1 C, 39-GP-52A

Vaughan and V&B replacement handles meet or exceed the following specifications:

U.S.A.; NN-H-0093b, NN-H-00106c
Canada: 39-GP-10M

ASSOCIATIONS

Vaughan is a member and active supporter of these trade associations:



This catalog is printed on recyclable paper. Vaughan uses recyclable materials in its product packaging

TABLE OF CONTENTS

TI-TECH™ TITANIUM HAMMERS	7
Hickory, Fiberglass, Replacement Caps	
PROFESSIONAL NAIL HAMMERS, HICKORY	9
Full Octagon Hickory; Vaughan's Vanadium	
PROFESSIONAL RIP HAMMERS, HICKORY	10
"9" Little Pro®, "99" Pro-16®, "999®" Framing, "505" Framing, 606M Framing, 707M Framing	
PROFESSIONAL CALIFORNIA FRAMER® AND BLUEMAX™ HAMMERS	11
PROFESSIONAL STEEL EAGLE® SOLID STEEL HAMMERS	13
Nail, Rip and California Framer® Styles	
PROFESSIONAL FIBERGLASS HAMMERS	15
Nail, Rip and California Framer® Styles	
PROFESSIONAL TUBULAR STEEL HAMMERS	16
Nail and Rip Styles	
SUPERSTEEL® NAIL AND RIP HAMMERS	17
Hickory Fiberglass and Tubular Steel	
PROFESSIONAL CONTRACTOR TOOLS	18
Shingling & Roofing Hatchets, Rig Builder's Hatchet, Carpenter's Half Hatchet, Drywall Tool, Underhill Lathing & Drywall Hatchets	
PROFESSIONAL CONTRACTOR TOOLS	19
Underhill Box Hatchet, Electrician's Hammer, Bricklayer's Hammers, Bricklayer Sets	
PLAIN FACE, "COMMERCIAL" AND "DOUBLE DUTY" HAMMERS	20
Fiberglass & Hickory Plain Face, Nail and Rip Styles, "Commercial" & "Double Duty"	
BALL PEIN AND RIVETING HAMMERS	22
Fiberglass, Steel & Hickory Handle Ball Peins, "Commercial" Ball Peins, Machinist's Riveting, Tinner's Riveting	
SUPERSTEEL® HEAVY HAMMERS AND SLEDGES	23
Hand Drilling Hammer, Heavy Hitters®, Blacksmith and Double Face Hammers, Lineman's Hammer, Industrial Mauls, Double Face Sledges	
TACK, UPHOLSTERER'S AND WELDER'S HAMMERS	24
Magnetic Tack, Magnetic Tack with Claw, Magnetic Upholsterer's, Welder's Chipping, Scaling	
NYLON FACE AND DEAD BLOW HAMMERS	26
Soft-Face Hammers, Nylon-Face Hammers, Dead Blow Hammers, Replacement Faces	
RAWHIDE, SUPER-PLASTIC AND RUBBER MALLETS	27
Rawhide Mallets, Super-Plastic Mallets, Rubber Mallets, Brass Mallets	
PROFESSIONAL SOFT FACE HAMMERS	28
Split-Head Hammers, Copper-Face Hammers, Copper Mallets, Rawhide-Face Hammers, Copper/Rawhide Face Hammers	
SUPERBAR®, NAIL PULLERS AND PRY BARS	30
SuperBar, Nail Pullers, Mini-Bar, Molding Lifter Bar, Ripping Bar, Carpenters' Wrecking Bar	
BEAR SAW® PULLSAWS, SAW GUIDE, PRO-ROCKER® DRYWALL SAW	32
SAFE-T-VU™ SAFETY GLASSES, FLIPMARKERS®	33
HAMMER AND HATCHET SAFETY RULES	34
Important safety considerations when choosing and using striking tools. Safety goggles.	
SUB-ZERO® AXES	36
Prospecting Pick, Camp Axe, Double & Single Bit Axes — Michigan Pattern, Supersportsman's Axe	
SUPERSTEEL® HATCHETS AND AXES	37
Oyster Hatchet, Broad Hatchet, Scout Axe, Cruiser Axe, Boy's Axe, Single Bit Axes — Michigan & Dayton Patterns, Double Bit Axe — Michigan Pattern	
REPLACEMENT HANDLES	38-39
P.O.P. DISPLAYS	Back Cover

For people who take pride in their work...tools to be proud of™

Founded in 1869 by my great-grandfather, Alexander Vaughan, this company has grown to a size that he could never have imagined. With the growth have come new manufacturing techniques and changes in technology that have transformed Vaughan from a small maker of hand tools to a company that manufactures hundreds of styles and sizes of striking tools, many with features that have become *industry standards* such as:

- The open sweep of curved claw hammers originally designed by Vaughan so carpenters could pick up and cradle 2 X 4's.
- Straight claw hammer developed by Vaughan and named after the famous "999" steam engine. In the early 1900's, this was the first locomotive to break 100 miles per hour on its run from New York to Chicago.
- Triple wedging of hammer handles for permanent bonding.
- Crowned striking faces on finishing hammers minimize damage to wood surface and help center glancing blows, driving nails straighter
- Living Wedge®, unique wedging that expands as wood contracts, keeping hickory handles tight.
- Superbar® with the "Shepherd's Crook" for increased leverage. Developed by the third generation of the Vaughan family.
- Patented hickory plug in solid and tubular steel hammers to absorb shock, improve balance and increase strength.
- Hollow core fiberglass handles for increased strength, better balance and shock absorption.
- Combining rigbuilder hatchet and traditional framing hammer to create California Framer series of hammers.



What hasn't changed over the years is our dedication to quality and user safety. Vaughan tools are still made with an uncommon attention to detail... crafted by generations of dedicated workers with their own family traditions of making Vaughan tools. We care a lot about the tools that carry the Vaughan name, and the care is obvious.

This catalog illustrates and describes a broader selection of Vaughan tools than ever before, such as new, ergonomically designed tools like Ti-Tech Titanium Hammers illustrated and described on pages 6 and 7. Tools developed to be user friendly and with exclusive features that make Vaughan tools unique... tools to be proud of.

Howard A. Vaughan, Jr.
President





TI-TECH™ TITANIUM HAMMER
BY VAUGHAN®

THE ONLY TITANIUM HAMMER WITH SHOCK-ABSORBING INTERCHANGEABLE CAPS

REPLACEABLE HIGH CARBON, HEAT-TREATED STEEL CAPS*

UNIQUE FREE FLOATING PIN* MOVES ON IMPACT TO MINIMIZE STING

LIGHTWEIGHT TITANIUM BODY PROVIDES GREATER VELOCITY, REDUCES ARM AND SHOULDER FATIGUE

EXCLUSIVE ANTI-VIBRATION PAD* PROVIDES MAXIMUM SHOCK ABSORPTION

ERGONOMIC DESIGN DIMINISHES STRESS

HIGH-DENSITY, ANTI-VIBRATION HANDLE

INTERCHANGEABLE MILLED OR SMOOTH FACE CAPS SOLD SEPARATELY.

MADE IN USA

VAUGHAN™ TI-TECH™

*PATENTS PENDING.



Encourage safe work habits!

Advise your customers to always wear safety goggles when using striking tools.

Twice as Tough! Only Ti-Tech™ combines the high speed driving power of Titanium with the versatility of **interchangeable steel caps**. Lightweight Titanium body swings faster for greater power at point of impact with less stress and arm fatigue. Steel caps can be changed from milled face for rough framing to smooth face for finish work. Patent pending design includes **free floating pin** that moves on impact to reduce sting and exclusive **anti-vibration rubber pad** that isolates striking face for maximum shock absorption. Innovative **HeadStart™ Magnet Nail Holder** grips everything from 3D finishing to 20D sinkers, permitting one-handed nail starting for increased reach.

Harness the power of Titanium with Ti-Tech™ framing hammers.



TI-TECH™

TITANIUM HAMMERS

TI-TECH™ TITANIUM HAMMERS

Ergonomically designed hammer engineered to combine advantages of lightweight Titanium body with heat-treated, high carbon steel caps.

Interchangeable Steel Caps Feature:

- Extra large striking faces available milled or smooth
- HeadStart™ magnetic nail starter
- Specially formulated shock absorbing rubber pad
- Free floating pin that moves on impact

Fiberglass Handle Features:

- Exclusive vibration absorbing hollow core design
- High impact overstrike guard
- Slip resistant grip

Hickory Handle Features:

- Top grade, high density American hickory
- Hatchet style handles available straight or curved
- Triple-wedged for permanent head to handle tightness

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	HEAD WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
Milled Face – Straight Hickory Handle						
103-60	TTC1	16	450	17½	2	6¾
Smooth Face – Straight Hickory Handle						
103-61	TTC1P	16	450	17½	2	6¾
Milled Face – Curved Hickory Handle						
103-64	TTC1-HC	16	450	18	2	7
Smooth Face – Fiberglass Handle						
103-66	TTC1FGP	16	450	16	2	7¾
Milled Face – Fiberglass Handle						
103-65	TTC1FG	16	450	16	2	7¾




Innovative HeadStart™ Magnet Nail Holder

REPLACEMENT CAPS

Keep Ti-Tech™ hammers performing like new! Includes high carbon, heat-treated steel cap with HeadStart™ magnetic nail holder, shock absorbing pad, free floating hex pin and hex key.

ITEM CODE	CATALOG NO.
Milled Face	
51607	RCM-2
Smooth Face	
51603	RCP-1






HERE'S WHAT MAKES VAUGHAN'S HICKORY HANDLE HAMMERS SO SPECIAL:

Triple-zone heat treating gives precise temper to striking face, eye and claws

Extra-large, crowned striking face for accurate power blows

Computer designed for superior balance to reduce fatigue



Handle Triple-Wedged* to head with wood and steel wedges for maximum strength

Handle is white straight grain hickory for strength

The Vaughan Professional line of hickory handle hammers is the most complete available. You can offer your customers everything from a 10 oz. cabinet maker's hammer (both straight and curved claw) to a beefy, 32 oz. Super Framing Hammer — 26 styles and sizes in all. The line includes full octagon, curved claw hammers and Vaughan's "999" Series rip hammers, a unique design originated by Vaughan, and a long-time favorite of professionals. Eight models of Vaughan's rugged California Framer hammers are offered, in straight and curved handles, smooth and milled face. All Vaughan Professional hickory hammers feature top quality, white hickory handles, triple wedged into the eye with wood and steel wedges.

The hang tags on Vaughan Professional hickory handle hammer help you sell by giving your customers the inside story on Vaughan quality features right at the point of purchase.



Encourage safe work habits!
Advise your customers to always wear safety goggles when using striking tools.



Claws have inner bevel that firmly grips brads or spikes



Polished octagon neck and face

Contoured crown drives nails flush without marring surface

See page 8 for details of handle construction and wedging



Encourage safe work habits!
Advise your customers to always wear safety goggles when using striking tools.

FULL OCTAGON HICKORY

Full polished head with octagon neck and face. Top quality, white, full octagon hickory handles, triple wedged and epoxy sealed for "Sure-Lock" handle tightness.

ITEM CODE	CATALOG NO.	HEAD WEIGHT		LGTH.	STD. PKG.	PKG. lbs.
		oz.	g	in.		
111-03	DO10	10	285	11	4	4
113-03	DO13	13	370	12½	4	5
114-03	DO16	16	450	13	4	6
115-03	DO20	20	570	14	4	7

VAUGHAN'S VANADIUM

Full polished head with octagon neck and round face. Top quality, white hickory handles, triple wedged and epoxy sealed for "Sure-Lock" tightness.

ITEM CODE	CATALOG NO.	HEAD WEIGHT		LGTH.	STD. PKG.	PKG. lbs.
		oz.	g	in.		
113-01	V13	13	370	12½	4	5½
120-01	V16	16	450	13	4	6



PROFESSIONAL

RIP HAMMERS

10 oz. "9" LITTLE PRO®

A beautifully balanced small hammer, ideal for cabinet making and finishing work. Top quality white hickory handle is triple wedged.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	g	LGTH. in.	STD. PKG.	PKG. lbs.
122-01	9	10	285	11	4	4
122-12	9-D	6 PIECE COUNTER DISPLAY (see back cover)				

16 oz. "99" PRO-16®

Available with either smooth or milled face, this is a nicely proportioned hammer for all-round use. Top quality, white hickory handle is triple wedged.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	g	LGTH. in.	STD. PKG.	PKG. lbs.
124-00	99	16	450	13	4	6
Milled Face						
124-20	MS99	16	450	13	4	6

20 oz. "999" FRAMING

Available in two lengths, with either smooth or milled face, its superb balance and comfortable grip make this hammer a favorite of tradesmen. Top quality, white hickory handle is triple wedged.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	g	LGTH. in.	STD. PKG.	PKG. lbs.
105-00	999	20	570	14	4	7 1/4
105-10	999L	20	570	16	4	7 1/4
Milled Face						
105-20	999M	20	570	14	4	7 1/4
105-30	999ML	20	570	16	4	7 1/4
105-37	999MLFO	20	570	16	4	7 1/4



Handle triple-wedged to head.

Special deep-throat design for power strikes in difficult areas

Extra-large striking face for surer strikes



Optional milled face helps prevent glancing blows and flying nails

24 oz. "505" FRAMING

Available with either smooth or milled face, this framing hammer sets the industry standard for appearance and balance. Top quality white hickory handle is triple wedged.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	g	LGTH. in.	STD. PKG.	PKG. lbs.
123-01	505	24	680	17	4	9
Milled Face						
123-20	505M	24	680	17	4	9

28 oz. 606M SUPER FRAMING

An extra-heavy framer designed to prove excellent overall balance. Top quality white hickory handle is triple-wedged. Milled face.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	g	LGTH. in.	STD. PKG.	PKG. lbs.
106-20	606M	28	800	18	2	4 3/4
Lineman's Straight Claw - Smooth Face - 15" Hickory Handle						
106-02	606S	28	800	15	2	4 1/2

32 oz. 707M SUPER FRAMING

The heaviest framer you can buy, yet proportioned to give excellent balance. Milled face. The top quality, white hickory handle is triple-wedged.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	g	LGTH. in.	STD. PKG.	PKG. lbs.
107-20	707M	32	900	18	2	5 1/2
Smooth Face						
107-01	707	32	900	18	2	5 1/2



CALIFORNIA FRAMER®

The Vaughan California Frammer combines features of two of our most popular tools into a rugged, heavy construction hammer. The smoothly swept claws were borrowed from our "999" Rip Hammer, and the extra large striking face, hatchet eye and sturdy handle are a heritage of our Rigbuilder's Hatchet. The hatchet style handle is best grade, second growth hickory. To provide extra strength, the handle has a large cross section where it joins the fully polished head.

19 oz. STRAIGHT and CURVED HANDLES

ITEM CODE	CATALOG NO.	HEAD WEIGHT		LGTH. in.	STD. PKG.	PKG. lbs.
		oz.	g			
Smooth Face – Straight Handle						
116-01	CF2P	19	540	16	4	7
Milled Face – Straight Handle						
116-00	CF2	19	540	16	4	7
116-05	CF2L	19	540	17	4	7½
Milled Face – Curved Handle						
116-04	CF2HC	19	540	17	4	7

23 oz. STRAIGHT and CURVED HANDLES

Smooth Face – Straight Handle						
103-01	CF1P	23	660	17	4	9
Milled Face – Straight Handle						
103-00	CF1	23	660	17	4	9
Milled Face – Curved Handle						
103-04	CF1HC	23	660	18	4	9

27 oz. STRAIGHT HANDLE

ITEM CODE	CATALOG NO.	HEAD WEIGHT		LGTH. in.	STD. PKG.	PKG. lbs.
		oz.	g			
Smooth Face – Straight Handle						
119-01	CF3P	27	765	18	2	11
Milled Face – Straight Handle						
119-00	CF3	27	765	18	2	11

PROFESSIONAL HAMMERS

BLUEMAX™ HIGH PERFORMANCE CALIFORNIA FRAMERS® NEW!

Drop forged steel head is highly polished and buffed to mirror finish. Features innovative magnetic nail holding slot capable of holding 16D and 20D nails. Extra long best grade blue stained American hickory handle. Exclusive triple wedge design for secure head to handle bonding.


ITEM CODE	CATALOG NO.	HEAD WEIGHT		LGTH. in.	STD. PKG.	PKG. lbs.
		oz.	g			
Smooth Face – Straight Handle						
116-24	CFB2LP	19	540	17	4	7½
103-24	CFB1LP	23	660	17	4	8½
Milled Face – Straight Handle						
116-22	CFB2LM	19	540	17	4	7½
103-22	CFB1LM	23	660	17	4	8½
Smooth Face – Curved Handle						
116-28	CFB2HCP	19	540	17	4	7
103-28	CFB1HCP	23	660	18	4	8½
Milled Face – Curved Handle						
116-26	CFB2HCM	19	540	17	4	7
103-26	CFB1HCM	23	660	18	4	8½

FIBERGLASS HANDLE (Not Shown)

ITEM CODE	CATALOG NO.	HEAD WEIGHT		LGTH. in.	STD. PKG.	PKG. lbs.
		oz.	g			
Milled Face – Straight Handle						
116-52	CFB21FG	21	595	16	4	9
103-52	CFB25FG	25	710	17	4	10
Milled Face – Curved Handle						
116-54	CFB21FGHC	21	595	17	4	9½

SOLID STEEL HANDLE (Not Shown)

ITEM CODE	CATALOG NO.	HEAD WEIGHT		LGTH. in.	STD. PKG.	PKG. lbs.
		oz.	g			
Milled Face – Straight Handle						
121-22	RCFB2	19	540	16	4	9



Optional milled face grips nail heads to minimize slipping and flying nails.



Computer designed for superior balance

Patented hickory and rubber Shock-Blok™ plug in eye takes the sting out of hammer blows

HERE'S WHAT MAKES VAUGHAN'S NEW STEEL EAGLE™ HAMMERS SO SPECIAL:

Solid steel head and handle

Exclusive Slip resistant, air cushion grip

Exclusive High strength I-beam design in grip section

U.S. Pat. Pending

There's never been a hammer like the Vaughan Steel Eagle™! Forged entirely of high quality, high carbon steel, it has all the toughness and durability your customers expect in a solid steel hammer. Yet there's none of the irritating hand sting that can make a day's work so tiring. The secret is Shock-Blok™, a shock absorbing insert of hickory and specially-formulated rubber. Most of the shock of hammer blows is absorbed by the Shock-Blok™ plug, the rest by the unique, air cushion grip. Available in curved and straight claw styles in a wide range of head weights, the Vaughan Steel Eagle features a full polished head to give it great sales appeal.

The hang tag on every Vaughan Steel Eagle helps you sell by giving your customers the inside story on Vaughan Steel Eagle quality features *right at the point of purchase.*



Encourage safe work habits!
Advise your customers to always wear safety goggles when using striking tools.



R16

R999L

R99

R606M

RCF1

RCF2P

STEEL EAGLE®

PROFESSIONAL HAMMERS

CURVED CLAW

Full polished head with octagon neck and round face. Forged steel from head to heel. Exclusive 'Shock-Blok™' plug in head absorbs shock. Exclusive air-cushioned, slip-resistant grip.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	HEAD WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
109-10	R16	16	450	12¾	4	6¼
127-15	R20	20	570	13¾	4	7¾
108-15	R24	24	680	14	4	8¼

"999" STRAIGHT CLAW

Full polished head with octagon neck and round face. Forged steel from head to heel. Exclusive. Shock-Blok™ plug in head absorbs shock. Exclusive air-cushioned, slip-resistant grip.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	HEAD WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
125-10	R99	16	450	12¾	4	6¼
112-00	R999	22	625	14	4	8¼
112-10	R999L	22	625	16	4	8¾
110-01	R606	28	800	16	2	5½
Milled Face						
112-20	R999ML	22	625	16	4	8¾
110-00	R606M	28	800	16	2	10¼



Extra-large striking face for surer strikes



Optional milled face grips nail heads to minimize slipping and flying nails.

CALIFORNIA FRAMER®

This forged steel hammer combines the unique head style of Vaughan's original California Framer with the proven shock absorbing benefits of the Steel Eagle® hammer. Exclusive, patented* Shock-Blok™ plug in head; air-cushioned, slip-resistant grip. Polished head with round neck and face.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	HEAD WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
121-01	RCF2P	19	540	16	4	9
129-01	RCF1P	23	660	17	4	11
Milled Face						
121-00	RCF2	19	540	16	4	9
129-00	RCF1	23	660	17	4	11



Patented hickory and rubber Shock-Blok™ plug in eye take the sting out of hammer blows

*U.S. Pat No. 5289742 World-wide patents pending



Encourage safe work habits!
Advise your customers to always wear safety goggles when using striking tools.



Computer designed for superior balance

Extra resin is forced into the neck section under high pressure, saturating the fiberglass fibers to prevent fraying from overstrikes.

**EXCLUSIVE!
COMPRESSION-FORMED,
HIGH DENSITY
FIBERGLASS HANDLES
MAKE THESE
HAMMERS
SPECIAL:**

Handle steel wedged and epoxy sealed to head for extra strength

Full-section, solid fiberglass neck; no strength-robbing sleeves

Patented hollow core in grip section absorbs shock, provides the balance and "feel" of wood

Slip resistant grip is contoured for extra comfort

A common complaint with ordinary fiberglass handle hammers is that accidental overstrikes cause the fiberglass to fray, exposing sharp fibers and weakening the handle. Not so with Vaughan!

During the handle molding process extra resin is forced into the neck section, super-saturating the fiberglass strands to prevent fraying. The hollow core absorbs shock, and provides Vaughan fiberglass hammers with the balance and "feel" of wood.

The hang tag on every Vaughan fiberglass handle hammer helps you sell by giving your customers the inside story on Vaughan fiberglass hammer quality features *right at the point of purchase.*



Encourage safe work habits!

Advise your customers to always wear safety goggles when using striking tools.



PROFESSIONAL

FIBERGLASS HAMMERS

FULL OCTAGON CURVED CLAW

Full polished head with octagon neck and face. Patented hollow core fiberglass handle absorbs shock, provides superb balance. Steel wedged, epoxy-sealed eye. Slip-resistant grip, contoured for comfort.

ITEM CODE	CATALOG NO.	HEAD WEIGHT		LGTH.	STD. PKG.	PKG. lbs.
		oz.	g	in.		
113-15	FS13	13	370	12½	4	5½
114-10	FS16	16	450	13	4	6½
115-05	FS20	20	570	14	4	7¼
115-06	FS20L	20	570	16	4	7½

“999” STRAIGHT CLAW

Vaughan’s patented, hollow-core fiberglass handle provides better balance and more effective shock absorption than typical solid fiberglass handles. Head “Sure-Lock”® wedged and epoxy sealed. Slip-resistant grip, contoured for comfort.

ITEM CODE	CATALOG NO.	HEAD WEIGHT		LGTH.	STD. PKG.	PKG. lbs.
		oz.	g	in.		
124-10	FS99	16	450	13	4	6
105-08	FS999	20	570	14	4	8
105-16	FS999L	20	570	16	4	8¾
123-31	FS505	24	680	17	4	9

Milled Face

124-40	FS99M	16	450	13	4	6
105-38	FS999ML	20	570	16	4	8¾
123-38	FS505M	24	680	17	4	10



High impact overstrike guard



Optional milled face helps prevent glancing blows and flying nails

CALIFORNIA FRAMER

Drop forged steel head combines unique style of Vaughan’s original California Framer® with exclusive hollow-core, vibration absorbing, hatchet style fiberglass handle. Revolutionary designed high impact overstrike guard. Specially formulated, slip resistant PVC grip.

ITEM CODE	CATALOG NO.	HEAD WEIGHT		LGTH.	STD. PKG.	PKG. lbs.
		oz.	g	in.		
116-51	CF21FGP	21	595	16	4	9
103-51	CF25FGP	25	710	17	4	10
Milled Face						
116-50	CF21FG	21	595	16	4	9
103-50	CF25FG	25	710	17	4	10



Encourage safe work habits!

Advise your customers to always wear safety goggles when using striking tools.



PROFESSIONAL

TUBULAR STEEL HAMMERS

FULL OCTAGON CURVED CLAW


Full polished head with octagon neck and face. Patented 4" hickory plug in eye adds strength, absorbs shock, locks head to handle. Steel wedged, epoxy-sealed eye. Slip-resistant grip, contoured for comfort.

ITEM CODE	CATALOG NO.	HEAD WT. oz.	HEAD WT. g	LGTH. in.	STD. PKG.	PKG. lbs.
114-00	TO16	16	450	13	4	6½
115-10	TO20	20	570	14	4	7¼

16 oz. "PRO-16" STRAIGHT CLAW

Polished and chrome plated tubular steel handle. Patented 4" hickory plug in eye adds strength, absorbs shock, locks head to handle. Steel wedged, epoxy-sealed eye. Slip-resistant grip, contoured for comfort.

ITEM CODE	CATALOG NO.	HEAD WT. oz.	HEAD WT. g	LGTH. in.	STD. PKG.	PKG. lbs.
124-30	99T	16	450	13	4	7¾



20 oz. "999" STRAIGHT CLAW

Polished and chrome plated tubular steel handle. Assembled with 4" hickory plug through eye to add strength, absorb shock. Steel wedged, epoxy-sealed eye. Slip-resistant grip, contoured for comfort.

ITEM CODE	CATALOG NO.	HEAD WT. oz.	HEAD WT. g	LGTH. in.	STD. PKG.	PKG. lbs.
105-01	999T	20	570	14	4	8
105-11	999TL	20	570	16	4	8¾
Milled Face						
105-31	999TML	20	570	16	4	8¾



Encourage safe work habits!

Advise your customers to always wear safety goggles when using striking tools.



S16
S16R

S16F
S16FR

S16T
S16TR

SUPERSTEEL® NAIL

The SuperSteel® label identifies a superb line of striking tools designed for industry, tradesmen and the discriminating do-it-yourselfer. SuperSteel® tools are forged of the same high quality steels as the Vaughan Professional line, and heat treated to our exacting standards. They differ from Vaughan Professional tools only in details of finishing and polish. Available with hickory, fiberglass and tubular steel handles, SuperSteel tools offer high quality at an exceptionally attractive price.

HICKORY

Polished striking head, sides and claw. Octagon face and neck and octagon handle. Select, flame-treated hickory handle triple wedged in tapered eye.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	HEAD WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
Curved Claw – Octagon Face and Neck*						
131-20	S7	7	200	11½	4	3¼
113-20	S13	13	370	12½	4	4½
114-15	S16	16	450	13	4	6
115-40	S20	20	570	14	4	7
Straight Claw – Round Face						
104-15	S16R	16	450	13	4	6

* No. 131-20 has round face, neck and handle.

Claws have inner bevel that firmly grips brads or spikes



Contoured crown drives nails flush without marring surface

See pages 8 and 14 for additional details of handle construction

AND RIP HAMMERS

FIBERGLASS

Polished striking head, sides and claw. Octagon face and neck. Exclusive hollow core fiberglass handle absorbs shock, provides excellent balance. Steel wedged, epoxy-sealed assembly. Slip-resistant grip, contoured for comfort.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	HEAD WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
Curved Claw – Octagon Face and Neck						
114-22	S16F	16	450	13	4	6½
115-22	S20F	20	570	14	4	7¼
Straight Claw – Round Face						
104-05	S16FR	16	450	13	4	6½

TUBULAR STEEL

Polished and chrome plated tubular steel handle. Octagon face and neck. Patented 4" hickory plug in eye adds strength, absorbs shock. Steel wedged, epoxy-sealed eye. Slip resistant grip.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	HEAD WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
Curved Claw – Octagon Face and Neck						
114-28	S16T	16	450	13	4	6½
115-28	S20T	20	570	14	4	7¼
Straight Claw – Round Face						
104-03	S16TR	16	450	13	4	6½



PROFESSIONAL

CONTRACTOR TOOLS



Beveled nail slot

SHINGLING HATCHET

Full polished with milled, crowned face, nail slot and back blade. Three-hole gauge: 4½", 5" and 14.3 cm for U.S. standard and metric shingle measurement. Top quality, hickory handle.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	g	LGTH. in.	STD. PKG.	PKG. lbs.
201-01	SH	14	400	13	2	3½
201-10	Gauge	—	—	—	10	1

Solid Steel Handle (Not Shown)

215-01	RSH	16	454	13½	2	4
--------	-----	----	-----	-----	---	---

ROOFING HATCHET (Not Shown)

Milled, octagon striking face, beveled nail slot, 2½" cut. Black, rust-resistant finish. Select, flame-treated hickory handle.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	g	LGTH. in.	STD. PKG.	PKG. lbs.
211-01	RH	17	480	13	4	6½

RIG BUILDER'S HATCHET

Full polished head. Extra large milled face. 3½" blade. Select, flame-treated hickory handle. A truly professional tool designed for heavy construction.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	g	LGTH. in.	STD. PKG.	PKG. lbs.
Hickory Handle						
204-20	RB	28	800	17	2	9
Fiberglass Handle						
204-50	RFBG	30	875	17	2	11

Three-position gauge on shingling hatchet for U.S. standard and metric shingle measurement



Patented flat-top head on wallboard tool allows strikes close to corners

CARPENTER'S HALF HATCHET

Full polished head. 3½" cut; fine, flame-treated hickory handle. A fine, standard weight tool for construction trades or handyman.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	g	LGTH. in.	STD. PKG.	PKG. lbs.
205-20	SH2	22	625	13	4	7¾

DRYWALL (WALLBOARD) TOOL

Full Polished with milled, crowned face, thin blade, 1¾" cut. Patented flat head for nailing close to corners, Top quality hickory handle, "Sure-Lock" wedged.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	g	LGTH. in.	STD. PKG.	PKG. lbs.
210-01	WB	12	340	15¼	2	2½
210-02	WBS	12	340	13¼	2	2¼

Solid Steel Handle (Not Shown)

208-01	RWB	14	397	14	2	3¾
--------	-----	----	-----	----	---	----

UNDERHILL LATHING AND DRYWALL HATCHETS

Lathing Hatchet has extra thin blade. Both have 2⅞" cut and feature full polished head with milled, crowned face and full-grip, select hickory handle.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	g	LGTH. in.	STD. PKG.	PKG. lbs.
Lathing Hatchet						
200-01	UL	14	400	13	2	3¼
Drywall Hatchet (Not Shown)						
200-02	UDH	14	400	13	2	3¼



PROFESSIONAL

CONTRACTOR TOOLS

UNDERHILL BOX HATCHET

Milled crowned face, thin blade, 2¼" cut, beveled nail slot. Full polished head. Select, flame-treated hickory handle.

ITEM CODE	CATALOG NO.	HEAD WT. oz.	WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
203-01	BX2	16	450	13	4	7

ELECTRICIAN'S STRAIGHT CLAW HAMMER

Polished striking head, sides and claw. Extra long poll for striking inside electrical junction boxes. Patented hollow core fiberglass handle provides balance and strength, absorbs shock. Steel wedged and epoxy sealed assembly, slip resistant grip.

ITEM CODE	CATALOG NO.	HEAD WT. oz.	WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
138-20	E18F	18	510	14	4	7

BRICKLAYERS' SETS (Not Shown)

Drop forged of high carbon steel, then hardened and tempered. Beveled striking face minimizes mushrooming and chipping. Polished head and blade, square handle with beveled corners for comfortable grip. Ground smooth overall, with rust-resistant black finish. Must not be struck with bricklayer's hammer or nail hammer.

ITEM CODE	CATALOG NO.	CUT in.	STD. PKG.	PKG. lbs.
430-02	3½	3½	4	3½
431-02	4	4	4	3¾



Milled face helps prevent glancing blows and flying nails



Extra long poll on Electrician's Hammer



Exclusive carbide chisel end available on Brick Hammers



Beveled edges on Brick Hammer faces

BRICKLAYER'S HAMMERS

Highly polished striking head, sides and blade. Square, flat face with beveled edges. Available with select, flame-treated hickory handle, double wedged and epoxy sealed; Steel Eagle® solid steel handle with patented Shock-Blok® plug in head, or fiberglass handle with shock absorbing, hollow core and cushion grip.

ITEM CODE	CATALOG NO.	HEAD WT. oz.	WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
Hickory Handle						
176-10	BL10	10	285	10½	4	3½
177-10	BL16	16	450	11	4	5
178-10	BL24	24	680	11½	4	7½
178-12	BL24L	24	680	16½	4	8½
With Vaughan's Exclusive Carbide Chisel End						
177-14	BL16TC	16	450	11	4	5
178-16	BL24TC	24	680	11½	4	7½
Fiberglass Handle						
177-13	BL16F	16	450	12½	4	5
178-15	BL24FL	24	680	14	4	9
Solid Steel						
184-12	ABL18	18	510	11	4	5
Solid Steel-Curved Handle (Not Shown)						
184-14	ABL18HC	18	510	12½	4	7



Encourage safe work habits!
Advise your customers to always wear safety goggles when using striking tools.



“COMMERCIAL” and



Polished striking face is properly beveled for safety

“DOUBLE DUTY®” HAMMERS

Made entirely in the U.S.A., Vaughan Commercial and Double Duty® brand hammers are forged of high quality American steel, hardened and tempered to precise standards. Commercial hammers meet or exceed government specifications in the United States, Canada and Great Britain. Polishing operations on Commercial hammers are limited to permit more economical pricing. They are ideal for industrial applications.

Vaughan Double Duty® hammers have a forged finish protected with rust-resistant, black paint. Only the face and bevel are polished.


PLAIN FACE

Polished striking face, sides and claw. Hickory handles are triple wedged in tapered eye; fiberglass handles are steel wedged and epoxy sealed. Slip resistant grip.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	g	LGTH. in.	STD. PKG.	PKG. lbs.
Fiberglass Handle						
134-93	FS16P	16	450	13	4	6½
136-93	FS20P	20	570	14	4	7¼
Select Hickory Handle						
134-41	S16P	16	450	13	4	6
136-41	S20P	20	570	14	4	7
Lacquered Hickory Handle						
134-95	DD16P	16	450	13	10	6
136-95	DD20P	20	570	14	10	7



Double Duty Hammers assembled with patented “Living Wedge”



Head forged of American-made, high carbon steel, triple-zone heat treated

See pages 8 and 14 for additional details of handle construction

COMMERCIAL HICKORY

Polished striking head, sides and claw. Good grade hickory handle, triple wedged in tapered eye.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	g	LGTH. in.	STD. PKG.	PKG. lbs.
Curved Claw						
133-30	TC16	16	450	13	4	6
Straight Claw						
137-30	TC16R	16	450	13	4	6

DOUBLE DUTY HICKORY

Forge finish with rust resistant black paint, polished face and bevel. Lacquered finish hickory handle assembled with patented “Living Wedge®” to ensure permanent handle tightness.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	g	LGTH. in.	STD. PKG.	PKG. lbs.
Curved Claw						
131-50	DD7	7	200	11½	4	3¼
133-50	DD16	16	450	13	4	6
Straight Claw						
122-50	DD9	10	285	11	4	4
137-50	DD16R	16	450	13	4	6

Handle lengths meet U.S. Government specifications.



Encourage safe work habits!

Advise your customers to always wear safety goggles when using striking tools.





BALL PEIN &

RIVETING HAMMERS

Concentrically ground, polished striking head and pein



Generous bevel on striking face

See pages 8 and 14 for additional details of handle construction

FIBERGLASS HANDLE BALL PEIN HAMMERS

Exclusive, hollow-core fiberglass handle provides better balance and more effective shock absorption.

ITEM CODE	CATALOG NO.	HEAD WEIGHT		LGTH.	STD.	PKG.
		oz.	g	in.	PKG.	lbs.
161-10	FS308	8	225	12½	4	4
162-10	FS2012	12	340	13	4	5
163-10	FS016	16	450	13	4	6
164-10	FS224	24	680	14½	4	8½
165-10	FS432	32	900	14¾	4	10½

STEEL HANDLE BALL PEIN HAMMERS (Not Shown)

Patented "ShockBlok" plug absorbs shock and reduces vibration.

ITEM CODE	CATALOG NO.	HEAD WEIGHT		LGTH.	STD.	PKG.
		oz.	g	in.	PKG.	lbs.
161-71	R308	8	225	11¾	4	6½
162-71	R2012	12	340	12	4	7½
163-71	R016	16	450	13¾	4	8½
164-71	R224	24	680	15¼	4	10½
165-71	R432	32	900	15¾	4	13

HICKORY HANDLE BALL PEIN HAMMERS

Flame-treated, compression wedged hickory handle.

ITEM CODE	CATALOG NO.	HEAD WEIGHT		LGTH.	STD.	PKG.
		oz.	g	in.	PKG.	lbs.
150-20	S702	2	55	10¼	4	1
151-20	S504	4	115	10¼	4	1¾
153-20	S308	8	225	11¾	4	3¼
154-20	S2012	12	340	12	4	4½
155-20	S016	16	450	13¾	4	5¾
156-20	S120	20	570	15	4	7
157-20	S224	24	680	15¼	4	8½
158-20	S432	32	900	15¾	4	10¾
159-20	S640	40	1135	16	4	12
160-20	S848	48	1360	16	4	13½

COMMERCIAL BALL PEIN HAMMERS

Polished face, bevel and pein. Other surfaces finished in rust resistant black paint. Compression wedged hickory handle.

ITEM CODE	CATALOG NO.	HEAD WEIGHT		LGTH.	STD.	PKG.
		oz.	g	in.	PKG.	lbs.
151-30	TC504	4	115	10¼	4	1
153-30	TC308	8	225	11¾	4	3¼
154-30	TC2012	12	340	12	4	4½
155-30	TC016	16	450	13¾	4	5¼
156-30	TC120	20	570	15	4	7
157-30	TC224	24	680	15¼	4	8½
158-30	TC432	32	900	15¾	4	10¼
159-30	TC640	40	1135	16	4	12
160-30	TC848	48	1360	16	4	13½

MACHINIST'S RIVETING

Polished, round head with flat striking face and rounded cross pein. Select, flame-treated hickory handle is "Sure-Lock" wedged to head.

ITEM CODE	CATALOG NO.	HEAD WEIGHT		LGTH.	STD.	PKG.
		oz.	g	in.	PKG.	lbs.
166-10	MR12	12	340	13	4	4½

TINNER'S RIVETING

Polished, octagon head with flat striking face and rounded cross pein. Select, flame-treated hickory handle on 12 oz. model is "Sure-Lock" wedged. Hollow core fiberglass handle on 16 oz. model absorbs shock, has epoxy-sealed eye and slip-resistant grip.

ITEM CODE	CATALOG NO.	HEAD WEIGHT		LGTH.	STD.	PKG.
		oz.	g	in.	PKG.	lbs.
Hickory Handle						
168-10	TR12	12	340	12½	4	4¼
Fiberglass Handle						
168-15	TR16F	16	450	12½	4	6



SUPERSTEEL HEAVY

HAMMERS & SLEDGES

HAND DRILLING HAMMER

The right hammer for striking star drills, cold chisels, brick chisels and punches. Broad, polished striking faces with generous bevels. Rust resistant black finish on smooth ground sides. Select, flame treated hickory handle.

ITEM CODE	CATALOG NO.	HEAD WEIGHT lb.	kg	LGTH. in.	STD. PKG.	PKG. lbs.
191-10	HD3	3	1.4	10 ¹ / ₄	4	14

Solid Steel Handle (Not Shown)

190-10	RHD3	2 ¹ / ₂	1.1	10 ³ / ₄	4	14
--------	------	-------------------------------	-----	--------------------------------	---	----

HEAVY HITTERS™ BLACKSMITH & DOUBLE FACE HAMMERS

Fiberglass handles are fitted with high-impact rubber over-strike shields in the critical neck area; patented hollow core handle and slip-resistant, cushioned PVC grip absorb shock. Flame treated hickory handles are "Sure-Lock" wedged in tapered eye.

ITEM CODE	CATALOG NO.	HEAD WEIGHT lb.	kg	LGTH. in.	STD. PKG.	PKG. lbs.
-----------	-------------	-----------------	----	-----------	-----------	-----------

Blacksmith Hammers-Fiberglass Handles (Not Shown)

171-20	S40F	2 ¹ / ₂	1.1	15	4	13 ¹ / ₂
172-20	S48F	3	1.4	15	4	13 ¹ / ₂

Blacksmith Hammers-Hickory Handles

170-30	S32	2	0.9	14 ¹ / ₂	4	10
171-30	S40	2 ¹ / ₂	1.1	15 ¹ / ₂	4	12 ¹ / ₂
172-30	S48	3	1.4	16	4	15

Double Face Hammers-Fiberglass Handles

173-20	SDF40F	2 ¹ / ₂	1.1	15	4	13 ¹ / ₂
181-20	SDF48F	3	1.4	15 ¹ / ₄	4	16
571-20	SDF64F.	4	1.8	15 ¹ / ₂	2	9 ¹ / ₂


Double Face Hammers-Hickory Handles

173-30	SDF40	2 ¹ / ₂	1.1	15 ¹ / ₂	4	12 ¹ / ₂
174-30	SDF48	3	1.4	16	4	15

Extra-large striking face for surer strikes



Generous bevel on striking face



Handle "Sure-Lock" wedged in eye

LINEMAN'S (FARRIER'S TURNING) HAMMER

Head 3¹/₄" long, with polished faces and bevels. Striking faces 1¹/₄" diameter. Flame treated hickory handle, "Sure-Lock" wedged in tapered eye.

ITEM CODE	CATALOG NO.	HEAD WEIGHT lb.	kg	LGTH. in.	STD. PKG.	PKG. lbs.
175-10	L36	2 ¹ / ₄	1.0	15 ¹ / ₂	4	11

LINEMAN'S STRAIGHT CLAW HAMMER (Not Shown)

Drop forged from high carbon steel. Polished striking face, extra thick straight claws. Flame treated hickory handle, "Sure-Lock" wedged in tapered eye.

ITEM CODE	CATALOG NO.	HEAD WEIGHT lb.	kg	LGTH. in.	STD. PKG.	PKG. lbs.
107-14	LSC32	2	0.9	15 ¹ / ₄	2	6

INDUSTRIAL MAULS

Drop forged from high carbon steel and annealed only, not hardened. Intended for use where hardened steel hammers would damage steel parts. Polished faces and bevels, rust resistant black finish on sides. Exclusive hollow core fiberglass handle with neoprene grip absorbs shock. Epoxy sealed assembly.

ITEM CODE	CATALOG NO.	HEAD WEIGHT lb.	kg	LGTH. in.	STD. PKG.	PKG. lbs.
188-55	M1 ¹ / ₂ F	1 ¹ / ₂	0.7	15	4	7
189-55	M3F	3	1.4	15	4	13

DOUBLE FACE SLEDGES (Not Shown)

Polished faces with generous bevels. Rust resistant black finish on sides. Flame treated hickory handle.

ITEM CODE	CATALOG NO.	HEAD WEIGHT lb.	kg	LGTH. in.	STD. PKG.	PKG. lbs.
571-04	SS4	4	1.8	16	2	9
571-06	SS6	6	2.7	36	2	13
571-08	SS8	8	3.6	36	2	17
571-10	SS10	10	4.5	36	2	21
571-12	SS12	12	5.5	36	2	25



Encourage safe work habits!

Advise your customers to always wear safety goggles when using striking tools.



TACK, UPHOLSTERER'S &



Long, thin claw pulls tacks from hard-to-reach places

WELDER'S HAMMERS



Magnetic face for holding and setting tacks & small nails

MAGNETIC TACK HAMMER

Polished magnetic face holds and sets tacks; opposite face used for driving. Forged steel head, 4 1/4" long. Top quality hickory handle.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	HEAD WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
180-34	SBP5	5	140	11	4	2

MAGNETIC TACK HAMMER WITH CLAW

Polished forged head 5 1/8" long, with magnetic striking face. Long thin claw pulls tacks easily. Top quality hickory handle securely wedged in adze eye.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	HEAD WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
182-20	ST5	5	140	11	4	2 1/4

MAGNETIC UPHOLSTERER'S HAMMER

Polished forged curved head, 5 3/4" long. Magnetic face holds and sets tacks; opposite face used for driving. Top quality hickory handle securely wedged in adze eye.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	HEAD WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
183-20	SU7	7	200	11 1/2	4	3

WELDER'S CHIPPING HAMMER

One end has sharp 1 1/4" blade with back bevel; other end tapers to a point. Flame-treated hickory handle "Sure-Lock" wedged in tapered adze eye.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	HEAD WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
185-10	WC12	12	340	11 1/4	4	4

SOLID STEEL WELDER'S CHIPPING HAMMERS

One end has sharp 1" blade; other end tapers to a point. Coil spring steel handle. Rust resistant, black oxide finish.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	HEAD WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
Horizontal Blade (Not Shown)						
198-10	WCAS	15	420	10	10	9 3/4
Vertical Blade						
198-15	WCCS	15	420	10	10	9 3/4

SCALING HAMMER

Straight blade has double bevel; cross blade has single back bevel. Head is ground smooth. Flame-treated hickory handle, triple wedged in adze eye for "Sure-Lock" tightness.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	HEAD WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
186-10	SC16	16	450	12 1/4	4	5 1/4



Encourage safe work habits!
Advise your customers to always wear safety goggles when using striking tools.





SF12
NT175



DB250
DB125

NYLON FACE AND

DEAD BLOW HAMMERS

SOFT-FACE HAMMERS

Forged steel head lends force to blows. Supplied with two faces – soft (red) and hard (yellow). Flame treated hickory handle, “Sure-Lock[®]” wedged.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	HEAD WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
193-10	SF6	6	170	10½	4	3
194-10	SF12	12	340	12½	4	4

Replacement Tips

511-01	SF6H (Hard)	1” Face Diameter
512-01	SF6S (Soft)	1” Face Diameter
513-01	SF12H (Hard)	1¾” Face Diameter
514-01	SF12S (Soft)	1¾” Face Diameter

NYLON-FACE HAMMERS


The one-piece threaded faces on these hammers feature a shoulder to absorb the force of side blows, protecting the threads. Chrome plated, zinc alloy heads are serrated to help keep faces tight. Handles are top quality hardwood, Supplied with two white nylon faces.

ITEM CODE	CATALOG NO.	FACE DIA. in.	WEIGHT lbs.	LGTH. in.	STD. PKG.	PKG. lbs.
584-08	NT100	1	½	10	4	3
584-10	NT125	1¼	¾	11	4	5
584-12	NT150	1½	1¼	11¼	4	7
584-14	NT175	1¾	1½	12	4	9
584-16	NT200	2	2½	13	2	6
584-18	NT250*	2½	4½	14	2	11½

*Has black painted malleable iron head.



Easily replaceable faces



Shot moves during hammer swing to minimize rebound and increase impact

DEAD BLOW HAMMERS

The heads of these hammers are partially filled with steel shot to increase impact and reduce rebound. The one-piece threaded faces feature a shoulder to absorb the force of side blows, protecting the threads. The one-piece, aluminum alloy heads are serrated to help keep the faces tight. A neoprene compound grip on the handle absorbs shock. Supplied with two white nylon faces.

ITEM CODE	CATALOG NO.	FACE DIA. in.	WEIGHT lbs.	LGTH. in.	STD. PKG.	PKG. lbs.
585-10	DB125	1¼	1	10½	4	5
585-12	DB150	1½	1½	11¼	4	7
585-14	DB175	1¾	2	12	4	9
585-16	DB200	2	3	12½	2	7
585-20	DB250	2½	4¼	14¼	2	9

REPLACEMENT FACES FOR NYLON & DEAD-BLOW HAMMERS

FACE DIA.	SOFT GREY* PLASTIC		MEDIUM* RED PLASTIC		HARD WHITE NYLON		EXTRA HARD* YELLOW PLASTIC		TOUGH BROWN POLYURETHANE	
	ITEM CODE	CAT. NO.	ITEM CODE	CAT. NO.	ITEM CODE	CAT. NO.	ITEM CODE	CAT. NO.	ITEM CODE	CAT. NO.
1	589-06	100SF	589-04	100MF	589-00	100HF	589-08	100XF	589-02	100TF
1¼	589-26	125SF	589-24	125MF	589-20	125HF	589-28	125XF	589-22	125TF
1½	589-46	150SF	589-44	150MF	589-40	150HF	589-48	150XF	589-42	150TF
1¾	589-66	175SF	589-64	175MF	589-60	175HF	589-68	175XF	589-62	175TF
2	589-86	200SF	589-84	200MF	589-80	200HF	589-88	200XF	589-82	200TF
2½	—	—	—	—	589-90	250HF	—	—	589-92	250TF



RAWHIDE &

RUBBER MALLETS

RAWHIDE MALLETS

Compressed under hydraulic pressure, then seasoned for durability, Vaughan Rawhide Mallets deliver firm blows from a larger striking face. Handles are top quality hardwood.

ITEM CODE	CATALOG NO.	FACE DIA. in.	APPROX. WT. oz.	LGTH. in.	STD. PKG.	PKG. lbs.
582-08	RM100	1	3 oz.	10	4	1
582-10	RM125	1 1/4	4 oz.	10	4	1
582-12	RM150	1 1/2	6 oz.	10 3/4	4	2
582-14	RM175	1 3/4	8 oz.	12	4	2
582-16	RM200	2	12 oz.	12	4	4
582-20	RM250	2 1/2	1 1/4 lbs.	13 1/2	2	3
582-22	RM275	2 3/4	1 1/2 lbs.	13 1/2	2	3 1/2

SUPER-PLASTIC MALLETS

High density polyethylene heads have high impact and abrasion resistance. Will not fracture or delaminate. Highly resistant to acids and alkalis. Handles are top quality hardwood.

ITEM CODE	CATALOG NO.	FACE DIA. in.	HEAD WT. oz.	LGTH. in.	STD. PKG.	PKG. lbs.
591-04	PM175	1 3/4	7 3/4	12	4	2
591-06	PM200	2	10 3/4	12	4	4
591-08	PM250	2 3/8	17 1/4	13 1/2	2	3

SOLID BRASS MALLET (Not Shown)

Brass Mallets deliver firm blows without damage to parts being struck. All are fitted with hickory handles.

ITEM CODE	CATALOG NO.	FACE DIA. in.	WT. lbs.	LGTH. in.	STD. PKG.	PKG. lbs.
593-08	BM100	1	3/4	10	4	4
593-12	BM150	1 1/2	2	11	4	9
593-16	BM200	2	3 3/4	13	2	8



Rawhide faces compressed and seasoned for toughness



Rubber Mallets have replaceable faces



Heads are molded onto handles of Solid Rubber Mallets

RUBBER MALLETS

Forged steel head provides extra driving power. Replaceable 2" diameter rubber tips; RM24 has one non-marring white for "clean" work, one black; RM24W has two white tips. Flame treated hickory handle, "Sure-Lock" wedged in tapered eye.

ITEM CODE	CATALOG NO.	HEAD WT. oz.	g	LGTH. in.	STD. PKG.	PKG. lbs.
195-10	RM24	24	680	14	4	8
195-15	RM24W	24	680	14	4	8

Replacement Tips

- 515-01 RM24TB (Black)
- 515-02 RM24TW (White)

SOLID RUBBER MALLETS

Specially compounded, quality rubber for high impact strength and long life. Head securely mounted on hardwood handle. Available in white and black.

ITEM CODE	CATALOG NO.	FACE DIA. in.	WT. lbs.	LGTH. in.	STD. PKG.	PKG. lbs.
574-31 blk	RM2B (Black)	2 1/4	1 1/4	10 5/8	4	5 1/2
574-32 wht	RM2W (White)	2 1/4	1 1/2	10 5/8	4	6 1/2



Encourage safe work habits!
Advise your customers to always wear safety goggles when using striking tools.



SH175

CM200

C175

PROFESSIONAL



R175

SOFT-FACE HAMMERS

SPLIT-HEAD HAMMERS

These patented* hammers allow quick changes of faces and handles. Malleable iron heads are designed for uniform clamping pressure on handle and faces. Extension collars transfer shock to more handle surface, reducing user fatigue and handle breakage. Top quality hardwood handles.

ITEM CODE	CATALOG NO.	FACE DIA. in.	WT. lbs.	LGTH. in.	STD. PKG.	PKG. lbs.
-----------	-------------	---------------	----------	-----------	-----------	-----------

Rawhide Faces

587-10	SH125	1 1/4	1 1/2	11	4	7
587-12	SH150	1 1/2	2	12	4	9
587-14	SH175	1 3/4	3 1/4	12 3/4	4	14
587-16	SH200	2	4 1/2	12 3/4	2	9
587-22	SH275	2 3/4	7 1/2	15 3/4	2	16
587-24	SH275L	2 3/4	8	36	1	8

Nylon Faces (Not Shown)

588-12	SH150NF	1 1/2	2	12	4	9
588-14	SH175NF	1 3/4	3 1/4	12 3/4	4	14
588-16	SH200NF	2	4 1/2	13 3/4	2	9
588-22	SH275NF	2 3/4	7 1/2	15 3/4	2	16

SOLID COPPER MALLET

Pure electrolytic copper heads absorb shock and distribute the force of the blow evenly.

ITEM CODE	CATALOG NO.	FACE DIA. in.	WT. lbs.	LGTH. in.	STD. PKG.	PKG. lbs.
-----------	-------------	---------------	----------	-----------	-----------	-----------

592-12	CM150	1 1/2	2	11 1/4	4	8 1/2
592-16	CM200	2	4	13	2	8 1/2

COPPER FACE HAMMERS

Malleable iron heads have grooved and tapered socket walls to help ensure a secure press fit for the replaceable copper faces.


ITEM CODE	CATALOG NO.	FACE DIA. in.	WT. lbs.	LGTH. in.	STD. PKG.	PKG. lbs.
-----------	-------------	---------------	----------	-----------	-----------	-----------

580-08	C100	1	1	9	4	5
580-10	C125	1 1/4	1 3/4	10 3/4	4	9
580-12	C150	1 1/2	2 3/4	12	4	13
580-14	C175	1 3/4	4	13	4	17
580-16	C200	2	6 1/2	14	2	15
580-18	C200L	2	8	30	1	8

* U.S. Pat. No. 5012702



Split head clamps and locks with two standard socket head cap screws



Faces can be rotated for uniform wear and increased life

RAWHIDE-FACE HAMMERS

Malleable iron heads have tapered sockets for the replaceable faces. Rawhide faces are compressed and thoroughly seasoned for uniformity and durability. Handles are top quality hardwood.

ITEM CODE	CATALOG NO.	FACE DIA. in.	WT. lbs.	LGTH. in.	STD. PKG.	PKG. lbs.
-----------	-------------	---------------	----------	-----------	-----------	-----------

581-08	R100	1	3/4	9	4	4
581-10	R125	1 1/4	1 1/2	10 3/4	4	7
581-12	R150	1 1/2	2	12	4	9
581-14	R175	1 3/4	2 7/8	12	4	12
581-16	R200	2	4 1/2	14	2	10
581-22	R275	2 3/4	7 1/4	16	2	15

COPPER/RAWHIDE-FACE HAMMERS (Not Shown)

Dual-purpose hammers will provide either the high impact of copper or the resilience of compressed rawhide. Malleable iron heads have tapered socket walls to help ensure a secure press fit for the replaceable faces. handles are top quality hardwood.

ITEM CODE	CATALOG NO.	FACE DIA. in.	WT. lbs.	LGTH. in.	STD. PKG.	PKG. lbs.
-----------	-------------	---------------	----------	-----------	-----------	-----------

583-10	CR125	1 1/4	1 1/2	10 3/4	4	7
583-12	CR150	1 1/2	2 1/2	12	4	11
583-14	CR175	1 3/4	3 1/2	12	4	15

REPLACEMENT FACES FOR SPLIT & SOLID HEAD HAMMERS

FACE DIA. in.	RAWHIDE		COPPER		NYLON	
	ITEM CODE	CATALOG NO.	ITEM CODE	CATALOG NO.	ITEM CODE	CATALOG NO.
1	590-00	100RF	590-02	100CF	—	—
1 1/4	590-20	125RF	590-22	125CF	590-24	125NF
1 1/2	590-40	150RF	590-42	150CF	590-44	150NF
1 3/4	590-60	175RF	590-62	175CF	590-64	175NF
2	590-80	200RF	590-82	200CF	590-84	200NF
2 3/4	590-90	275RF	—	—	590-94	275NF





222



SUPERBAR®

AND PRY BARS

VAUGHAN'S ORIGINAL SUPERBAR®

An essential tool for homeowners and tradesmen. "Shepherd's Crook" rocker head design for maximum prying power; 15" length provides excellent leverage. Useful for prying molding, scraping and pulling nails. Forged, spring tempered steel for heavy duty use. Three beveled nail slots; polished, sharp blades for easy insertion.

ITEM CODE	CATALOG NO.	WEIGHT oz.	WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
450-01	B215	24	670	15	4	6½
452-01	B215L	32	900	21	4	8¾

NAIL PULLERS

Designed for extracting deeply imbedded nails, these pullers are forged of 5/8" hex, high carbon steel. Polished claw(s) hardened and tempered for strength and long life. Blue, rust resistant finish.

ITEM CODE	CATALOG NO.	WEIGHT oz.	WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
465-02	NP12G	20	567	11½	4	5½
470-02	NP12DE	16	454	11	4	4½
467-02	NP15CE	22	625	15	4	6

CARPENTER'S WRECKING BARS (Not Shown)

Forged, high carbon steel. Black, rust-resistant finish. Hardened and tempered claw and chisel.

ITEM CODE	CATALOG NO.	HEX STOCK SIZE in.	LGTH. in.	STD. PKG.	PKG. lbs.
573-18	318	5/8	18	10	17
573-24	324	¾	24	10	33
573-30	330	¾	30	10	39
573-36	336	¾	36	10	24

RIPPING BAR

Forged of tough, ¾" hex, high carbon steel. Three beveled nail slots. Hardened and tempered claws. Blue, rust-resistant finish, polished ends.

ITEM CODE	CATALOG NO.	WEIGHT oz.	WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
455-01	RB18	40	1120	18	4	10½
456-01	RB18L	52	1474	24	4	13½

BEAR CLAW® NAIL PULLERS

Forged, tempered steel with a flat claw for easy wedging and minimal wood damage. Rocker head provides excellent leverage. Black, rust-resistant finish.

ITEM CODE	CATALOG NO.	WEIGHT oz.	WEIGHT g	LGTH. in.	LGTH. mm	STD. PKG.	PKG. lbs.
570-18	BC6	10	284	6¼	160	4	3
570-21	BC8	11	312	7¾	200	4	3¼
570-24	BC9	12½	350	9½	240	4	3½
570-27	BC10	13½	378	10½	270	4	3¾
570-30	BC12	18½	518	11¾	300	4	5¼
570-33	BC13	19½	546	13	330	4	5½
570-36	BC14	12¾	581	14¼	360	4	6

BEAR CLAW® SCRAPER BAR (Not Shown)

Wide, thin, sharp blades for scraping and cutting. Nail pulling end has rocker head for maximum leverage.

ITEM CODE	CATALOG NO.	WEIGHT oz.	WEIGHT g	LGTH. in.	LGTH. mm	STD. PKG.	PKG. lbs.
570-38	BC/SB	11	312	9¾	240	4	3

BEAR CLAW® NAIL SET (Not Shown)

Nail pulling end with rocker head for maximum leverage. Nail set with 3/32" point for counter sinking nails.

ITEM CODE	CATALOG NO.	WEIGHT oz.	WEIGHT g	LGTH. in.	LGTH. mm	STD. PKG.	PKG. lbs.
570-37	BC/NS	6	170	6¼	160	4	1½

MOLDING LIFTER BAR

Wide, sharp blades slip easily under molding and baseboard. Curved ends provide excellent leverage. Forged, tempered steel, chrome plated. 10" long.

ITEM CODE	CATALOG NO.	WEIGHT oz.	WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
570-39	MLB	9½	270	10	4	2½


MINI-BAR®

This versatile little tool will open paint cans and pull small nails and staples. High quality tempered steel, chrome plated for attractive appearance. Carded for peg board display.

ITEM CODE	CATALOG NO.	WEIGHT oz.	WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.	
460-04	222	1	28	5½	10	1½	
460-02	222-CS	12 PIECE CLIP STRIP MERCHANDISER (See back cover)					









BEAR SAWS® CUT ON THE

Vaughan Bear Saws are made to cut on the pull rather than on the push stroke. This allows for a thinner blade, which removes less material, making sawing easier, faster and more accurate. Bear Saw blades are durable spring steel, plated for rust resistance. The specially ground, tri-edge teeth are impulse hardened to retain their sharpness. Interchangeable blade styles match any task, from rough cuts to fine woodworking; any blade can be used with either style handle. Blade locks securely in handle, yet saw can be quickly disassembled for convenient toolbox storage. Blade guard protects teeth when saw is stored.



PULL STROKE



PRO-ROCKER® Drywall/Wallboard Saw

Hardened, high quality carbon steel blade has patented double ground, self-starting point for plunge cuts; aggressive tooth design for fast, easy cutting. Contoured handle gives comfortable grip; thumb rest provides greater leverage. Wrist strap included.

ITEM CODE	CATALOG NO.	BLADE STYLE	CUTTING LENGTH		PITCH TPI	BLADE THICKNESS		KERF		OVERALL SAW LENGTH	
			in.	mm		in.	mm	in.	mm	in.	mm
BEAR SAWS®											
569-10	BS333C	Coarse/Medium	13	333	9	0.035	0.90	0.051	1.30	20¾	525
569-20	BS265M	Medium/Fine	10½	265	14	0.024	0.60	0.035	0.88	17½	445
569-30	BS250D	Double Edged	10	250	18 & Gradated	0.020	0.50	0.026	0.65	23	590
569-50	BS240P	Extra Fine*	8¾	213	17	0.022	0.55	0.033	0.85	16½	420
BEAR SAW® REPLACEMENT BLADES											
569-12	333RBC	Coarse/Medium	13	333	9	0.035	0.90	0.051	1.30	—	—
569-22	265RBM	Medium/Fine	10½	265	14	0.024	0.60	0.035	0.88	—	—
569-32	250RBD	Double Edged	10	250	18 & Gradated	0.020	0.50	0.026	0.65	—	—
569-52	240RBP	Extra Fine*	8¾	213	17	0.022	0.55	0.033	0.85	—	—

BEAR SAW® GUIDE

Converts BS265M pull saw into compound miter saw. Includes BS265M, saw guide and angle gauge.
569-00 BS/G

ITEM CODE	CATALOG NO.	PITCH TPI
Drywall/Wallboard Saw		
569-60	PR6	8
Replacement Blade		
569-62	PR6B	8





PROTECTIVE EYEWEAR &

SAFE-T-VU™

PROTECTIVE EYEWEAR

- Adjustable temples and lens angle for comfortable fit.
- Polycarbonate lenses are anti-fog, anti-static, anti-scratch & chemical resistant
- Excellent UV absorption
- Side shields and brow guards for extra protection



GLASSES

Item Code	Catalog No.	Description	Std. Pkg.	Pkg. Oz.
597-10	SV1000	Clear Half Frame Wrap Around	4	12
597-11	SV1100	Tinted Half Frame Wrap Around	4	12
597-12	SV1200	Mirrored Single Lens	4	12
597-14	SV1300	Amber Half Frame Wrap Around	4	12
597-20	SV2000	Clear No Frame Wrap Around	4	12
597-21	SV2100	Tinted No Frame Wrap Around	4	12
597-22	SV2200	Mirrored Dual Lens	4	12
597-24	SV2300	Amber No Frame Wrap Around	4	12
597-30	SV4000	Clear Full Frame Wrap Around	4	12
597-31	SV4100	Tinted Full Frame Wrap Around	4	12
597-33	SV4300	Amber Full Frame Wrap Around	4	12
597-41	SV5100	Espresso Non-Replacement Lens	4	12
597-50	SV6000	Clear Over Prescription Glasses	4	12

FLIPMARKER

FlipMarker™

This double-ended marking tool combines a carpenter's pencil with a color marking crayon. Available in four colors—red, blue, yellow and black, FlipMarker can be used to write on any surface—wood, concrete or metal. Ideal for on-the-job color coding of utility services.



Item Code	Catalog No.	COLOR	Std. Pkg.
52002	FMBL	black	10
52003	FMBU	blue	10
52004	FMY	yellow	10
52005	FMR	red	10
52007	FMDS	Display 10 ea. color	40
52001	FMD	Display 25 ea. color See back cover	100


WRAP-AROUND LENS

- Wrap-around design with molded-in side shields protects from virtually all angles
- Available in clear, amber, mirror and the hot, new espresso lens tint that enhances visibility in fog as well as bright sunlight
- Adjustable temples ensure comfortable, custom fit

HAMMER AND HATCHET SAFETY RULES

USE THE CORRECT STRIKING TOOL FOR THE JOB


Hammers are arguably the most abused, most misused of all hand tools. Injuries can be caused by trying to strike too heavy a blow with a lightweight hammer, by using a damaged hammer and by using the wrong style of hammer for the task at hand. There is no such thing as a "universal" hammer, and users are well advised to use only tools that have been designed for the job.



Straight Claw or Rip Hammer
For use with non-hardened common or finishing nails only. Choose 20, 24, 28 or 32 oz. weights for framing and ripping.




Curved Claw or Nail Hammer
For use with non-hardened common or finishing nails only. Choose 16 or 20 oz. weights for general carpentry, lighter weights for model work or fine cabinetry.



Rawhide Mallet
For use in furniture assembly, shaping soft sheet metals or any project that requires non-marring blows. Choose weights from 3 oz. to 24 oz.



Ball Pein Hammer
For riveting, center punching and bending or shaping soft metal. Choose weights from 2 oz. to 48 oz. depending on the task.




Shingling Hatchet
The Pro's choice for installing shakes and shingles. Handy, three position gauge pin for metric and U.S. standards sets exposed length of shingle. Milled and crowned face sets nails cleanly.



Hand Drilling Hammer
Easy to handle with plenty of punch. The only hammer to use with star drills, masonry nails, steel chisels and nail pullers.



Brick Hammer
Designed for cutting and setting bricks or blocks, and for chipping mortar.



Wallboard Tool
Multi-purpose tool scores wallboard, makes cutouts and sets nails with a perfect dimple. Exclusive "Flat Top" head permits nailing in corners.

HERE ARE SOME BASIC RULES FOR PROPER USE OF STRIKING TOOLS:

- ALWAYS WEAR SAFETY GOGGLES • NEVER strike any hammer or hatchet with or against another hammer or hatchet • ALWAYS strike the surface squarely — avoid glancing blows • DO NOT use claw hammers or hatchets on concrete, stone or hardened metal objects (such as nail pullers, pry bars, cold chisels, punches, star drills, drift pins, masonry nails, clevis or hitch pins, etc.) • ALWAYS use a hammer of the right size and weight for the job • NEVER use a brick hammer to strike metal



NEVER USE A HAMMER THAT HAS ANY OF THESE FAULTS



Discard hammer or hatchet with chipped or battered face



Discard hammer with cracked claw or eye section



Discard hammer or hatchet with mushroomed striking face



Replace loose or cracked handles. Always use replacement handles of same size and quality as original. Make sure of proper fit and secure wedging.

SAFETY GOGGLES

Made extra large to fit comfortably over eyeglasses or sunglasses. Perforated sides provide extra face protection and good ventilation. Soft, flexible frame conforms to facial contours. Replaceable lens. Individually packed in attractive merchandising carton. Shipped with clear lens only.



ITEM CODE	WEIGHT oz.	STD. PKG.	PKG. lbs.
597-00 Replacement Lenses	3	5	1 1/8
597-01 Clear	1	1	
597-02 Green	1	1	





ZDB3-1/2



ZSB3-1/2



ZS1/2



AS1-1/4

AP16

VAUGHAN

SOLID STEEL PROSPECTING/ROCK PICK

Forged steel head and I-beam handle, fully polished. Flat striking face and pointed pick. Patented, air-cushioned grip.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	HEAD WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
179-01	AP16	16	450	12½	4	7¾
Smooth Ground, Unpolished Finish						
179-03	AP16U	16	450	12½	4	7¾


SOLID STEEL CAMP AXE

Full polished head and handle. Flat striking face with beveled edges. Nail slot in blade. Curved handle with shock absorbing, slip-resistant grip. Supplied with durable, fitted sheath.

ITEM CODE	CATALOG NO.	HEAD WEIGHT lbs.	HEAD WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
334-02	AS1¼	1¼	570	13	4	7½
Sheath Only						
562-00	S1¼					



Encourage safe work habits!
Advise your customers to always wear safety goggles when using striking tools.



Thin, specially hardened, hollow ground blade



Blade hardened and tempered to stand up in temperature extremes

SUB-ZERO® AXES

DOUBLE BIT - MICHIGAN PATTERN

Hollow ground blades permit deeper cuts and easier release. Best grade, white hickory handle.

ITEM CODE	CATALOG NO.	HEAD WEIGHT lbs.	HEAD WEIGHT kg	LGTH. in.	STD. PKG.	PKG. lbs.
322-01	ZDB3½	3½	1.6	36	2	11

SINGLE BIT - MICHIGAN PATTERN

Hollow ground blades permit deeper cuts and easier release. Best grade, white hickory handle.

ITEM CODE	CATALOG NO.	HEAD WEIGHT lbs.	HEAD WEIGHT kg	LGTH. in.	STD. PKG.	PKG. lbs.
301-01	ZSB3½	3½	1.6	36	2	11

SUPERSPORTSMAN'S AXE

This excellent small axe is made exclusively by Vaughan in the Sub-Zero tradition. Fits tackle box or jacket pocket. Select, flame-treated hickory handle.

ITEM CODE	CATALOG NO.	HEAD WEIGHT lbs.	HEAD WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
333-01	ZS½	½	225	10	4	3
Sheath Only						
560-00	S½					



SUPERSTEEL® HATCHETS

OYSTER HATCHET

A lightweight, forged hatchet with a 2¾" cut. Rust-resistant, black finish; lacquered hickory handle.

ITEM CODE	CATALOG NO.	HEAD WEIGHT		LGTH.	STD.	PKG.
		oz.	g	in.	PKG.	lbs.
212-02	2/0	12	336	12	4	3½

BROAD HATCHET

A heavy duty striking tool with a 4½" right hand cut. Large, flat driving face has beveled edges. Smooth ground, black, rust-resistant finish. Fine, flame-treated hickory handle.


ITEM CODE	CATALOG NO.	HEAD WEIGHT		LGTH.	STD.	PKG.
		oz.	g	in.	PKG.	lbs.
207-01	SB2	28	800	14	4	11¼

SCOUT (CAMP) AXE

Light weight and easy to carry. Head is ground smooth, with a rust-resistant black finish. Fine, flame-treated hickory handle. Durable fitted sheath is optional.

ITEM CODE	CATALOG NO.	HEAD WEIGHT		LGTH.	STD.	PKG.
		lbs.	g	in.	PKG.	lbs.

Without Sheath						
332-20	SC1¼	1¼	570	14	4	8
With Sheath						
332-24	SCS1¼	1¼	570	14	4	8½
Sheath Only						
562-00	S1¼					



Encourage safe work habits!
Advise your customers to always wear safety goggles when using striking tools.

Head forged of American-made high carbon steel, specially heat treated



Handle is flame treated, straight grain hickory

AND AXES

SINGLE BIT AXES

Drop forged of high carbon steel, carefully heat treated and tempered for lasting sharpness. Head is ground smooth, with a rust-resistant black finish. Fine, flame-treated hickory handle.

ITEM CODE	CATALOG NO.	HEAD WEIGHT		LGTH.	STD.	PKG.
		lbs.	kg	in.	PKG.	lbs.

Michigan Pattern						
301-20	SSB3½	3½	1.6	36	2	11
Dayton Pattern						
306-20	SSBD3½	3½	1.6	36	2	11
Miner's Axe – Dayton Pattern						
306-24	SM3½	3½	1.6	20	2	8

DOUBLE BIT-MICHIGAN PATTERN

Drop forged of high carbon steel, carefully heat treated and tempered for lasting sharpness. Head is ground smooth, with a rust-resistant black finish. Fine, flame-treated hickory handle.

ITEM CODE	CATALOG NO.	HEAD WEIGHT		LGTH.	STD.	PKG.
		lbs.	kg	in.	PKG.	lbs.

322-20	SDB3½	3½	1.6	36	2	11
--------	-------	----	-----	----	---	----

REPLACEMENT HANDLES

	GRADE	ITEM CODE	PKG. lbs.		
CLAW HAMMER HANDLES	12" ADZE EYE For 7-10 oz. Claw Hammers & Vaughan 5-7 oz. Tack Hammers	Tough Fibre Supreme E-Z-Swing	611-01 610-72 610-73	1.7	
	13 1/2" ADZE EYE OCTAGON For 13-16 oz. Claw Hammers & Vaughan 16 oz. Scaling Hammer	Tough Fibre Supreme E-Z-Swing	601-61 601-62 601-63	2.7	
	13 1/2" ADZE EYE For 13-16 oz. Claw Hammers & Vaughan 16 oz. Scaling Hammer	Tough Fibre Supreme E-Z-Swing Swinger	611-61 611-62 611-63 611-65	2.8	
	14" ADZE EYE – For 20 oz. Claw Hammers, Vaughan 999 & 999M Framing Hammers & Vaughan 18 oz. Electrician's Hammer	Tough Fibre Supreme E-Z-Swing Swinger	612-01 612-02 612-03 612-05	3.1	
	16" ADZE EYE For 20 oz. Claw Hammers & Vaughan 505 & 505M Framing Hammers	Tough Fibre Supreme E-Z-Swing Swinger	602-01 602-02 602-03 602-05	3.7	
	17 1/2" ADZE EYE For 24 oz. Claw Hammers & Vaughan 505 & 505M Framing Hammers	Tough Fibre Supreme E-Z-Swing	612-41 612-42 612-43	4.3	
	17 1/2" ADZE EYE For 28-32 oz. Claw Hammers & Vaughan 606M & 707M Framing Hammers	Tough Fibre Supreme E-Z-Swing Swinger	612-81 612-82 612-83 612-85	4.4	
CALIFORNIA FRAMER HAMMER HANDLES	16 1/2" HATCHET For 19 oz. with Straight Handle	Tough Fibre Supreme E-Z-Swing Swinger	643-01 643-02 643-03 643-05	3.9	
	17 1/2" HATCHET For 19 oz. with Straight Handle	BlueMax	645-00	4.0	
	17 1/2" HATCHET For 19 oz. with Curved Handle	BlueMax Tough Fibre Supreme E-Z-Swing	650-00 650-01 650-02 650-03	4.0	
	18" HATCHET For Ti-Tech with Straight Handle	Ti-Tech	641-89	4.3	
	17 1/2" HATCHET For 23 oz. with Straight Handle	BlueMax Tough Fibre Supreme E-Z-Swing Swinger	641-80 641-81 641-82 641-83 641-85	4.3	
	18 1/2" HATCHET For Ti-Tech with Curved Handle	Ti-Tech	651-89	4.3	
	18 1/2" HATCHET For 23 oz. with Curved Handle	BlueMax Tough Fibre Supreme E-Z-Swing Swinger	651-80 651-81 651-82 651-83 651-85	4.3	
	18 1/2" HATCHET For 27 oz. with Straight Handle	Tough Fibre Supreme E-Z-Swing	644-01 644-02 644-03	4.4	
BRICKLAYER HAMMER HANDLES	11" BRICKLAYERS For 16 oz. with Brick Hammers	Tough Fibre Supreme E-Z-Swing	631-61 631-62 631-63	1.9	
	12" BRICKLAYERS For 24 oz. with Brick Hammers	Tough Fibre Supreme E-Z-Swing	632-41 632-42 632-43	2.2	
SLEDGE HAMMER HANDLES	24" SLEDGE For 4-6 lb. Sledge Hammers	Supreme E-Z-Swing Swinger	672-42 672-43 672-45	6.0	
	30" SLEDGE For 6-8 lb. Sledge Hammers	Supreme E-Z-Swing Swinger	673-02 673-03 673-05	7.1	
	32" SLEDGE For up to 16 lb. Sledge Hammers & Oval Eye Woodchopper Mauls	Supreme E-Z-Swing Swinger	673-22 673-23 673-25	8.0	
	36" SLEDGE For up to 16 lb. Sledge Hammers & Oval Eye Woodchopper Mauls	Supreme E-Z-Swing Swinger	673-62 673-63 673-65	9.9	
	36" SLEDGE (HEAVY) For 20-24 lb. Sledge Hammers	Supreme E-Z-Swing Swinger	673-92 673-93 673-95	11.0	

		GRADE	ITEM CODE	PKG. lbs.	
MACHINIST & BLACKSMITH HAMMER HANDLES	11" MACHINIST For 4 oz. Ball Pein Hammers & Vaughan 6 oz. Soft Face Hammers	Supreme E-Z-Swing Swinger	620-62 620-63 620-65	1.4	
	12 1/2" MACHINIST For 8 oz. Ball Pein Hammers	Supreme E-Z-Swing Swinger	620-82 620-83 620-85	1.8	
	13" MACHINIST For 12 oz. Ball Pein Hammers & Vaughan 16 oz. Soft Face Hammers	Supreme E-Z-Swing Swinger	621-22 621-23 621-25	2.2	
	14" MACHINIST For 16-20 oz. Ball Pein Hammers & Vaughan 24 oz. Rubber Mallet	Supreme E-Z-Swing Swinger	621-62 621-63 621-65	2.6	
	15 3/4" MACHINIST For 20-24 oz. Ball Pein Hammers & 32 oz. Flat Eye Blacksmith Hammers	Supreme E-Z-Swing Swinger	622-42 622-43 622-45	3.3	
	15 3/4" MACHINIST For 32-40-48 oz. Ball Pein Hammers & 40-48 oz. Flat Eye Blacksmith Hammers	Supreme E-Z-Swing Swinger	624-02 624-03 624-05	3.8	
	10 1/2" HAND DRILL For 2-4 lb. Oval Eye Hand Drill Hammers	Supreme E-Z-Swing Swinger	630-32 630-33 630-35	1.9	
	14" BLACKSMITH For 2 lb. Oval Eye Hand Drill Hammers	Supreme E-Z-Swing Swinger	633-22 633-23 633-25	2.7	
	16" BLACKSMITH For 2-4 lb. Oval Eye Hand Drill Hammers	Supreme E-Z-Swing Swinger	634-02 634-03 634-05	3.7	
PICK AND POST MAUL HANDLES	36" PICK For #6 Eye Picks and Pick Mattocks	Supreme E-Z-Swing Swinger	683-62 683-63 683-65	14.3	
	36" POST MAUL For Oval Eye "Swett" and "Cowanesque" Cast Iron Post Mauls	Supreme E-Z-Swing Swinger	693-62 693-63 693-65	10.3	
HATCHET HANDLES	13 1/2" HATCHET For Shingling, Wallboard, Box and Lath Hatchets	Tough Fibre Supreme E-Z-Swing Swinger	641-31 641-32 641-33 641-35	3.1	
	13 1/2" HATCHET For Half, Claw and Broad Hatchets	Tough Fibre Supreme E-Z-Swing Swinger	641-41 641-42 641-43 641-45	3.2	
	15 1/2" HATCHET For Shingling, Wallboard, Box and Lath Hatchets	Tough Fibre Supreme E-Z-Swing Swinger	641-51 641-52 641-53 641-55	3.2	
	17 1/2" HATCHET For Rig Builders' Hatchets	Tough Fibre Supreme E-Z-Swing Swinger	641-71 641-72 641-73 641-75	4.0	
AXE HANDLES	14" SCOUT For 1 1/4 lb. Scout, Camps and Belt Axes	Supreme E-Z-Swing Swinger	651-42 651-43 651-45	3.2	
	28" BOYS For 2 1/4 lb. Single Bit Axes	Supreme E-Z-Swing Swinger	652-82 652-83 652-85	6.2	
	28" CRUISER For 2 1/2 lb. Double Bit Axes	Supreme E-Z-Swing Swinger	662-82 662-83 662-85	6.2	
	36" MEN'S CURVED For 3-5 lb. Single Bit Axes	Supreme E-Z-Swing Swinger	653-62 653-63 653-65	10.3	
	36" MEN'S STRAIGHT DOUBLE BIT For 3-5 lb. Double Bit Axes	Supreme E-Z-Swing Swinger	663-62 663-63 663-65	10.7	
	36" MEN'S STRAIGHT SINGLE BIT For 3-5 lb. Single Bit Axes & Single Bit Axe Eye Woodchopper Mauls	Supreme E-Z-Swing Swinger	655-12 655-13 655-15	10.1	



B215-EC



SV100D



9-D



B215-D



FMD



222-CS



BS100D



For people who take pride in their work...tools to be proud of
VAUGHAN & BUSHNELL MANUFACTURING CO.
11414 Maple Avenue, Hebron, IL 60034
815 648-2446 • FAX 815 648-4300 • e-mail panam@vaughanmfg.com
Visit our Web site at <http://www.vaughanmfg.com>